

# SmartFill OPT

**Our customers told us how to create the world's easiest to install, use and operate Outdoor Payment Terminal.**



Fully EMV compliant

Accepts all major credit cards and EFTPOS

Australian made and supported

Ideal for truck stops  
service stations forecourts

**QUICK SET UP | 24/7 PRODUCTIVITY | BULLET-PROOF CONSTRUCTION | SIMPLE TO USE**



# The latest product to use our proven SmartFill GEN 2 modular design and easy to use software

We asked our customers what they didn't like about their OPT and what they wanted from an OPT.

**Turns out, easy is the word.**

The SmartFill OPT is easy to set-up, work with, service and has smart design features, such as a printer with an extra long paper roll that is easy to access and kept away from internal electronics.

The servicing is super easy too. The modular design requires no training. Simply swap out a component and replace with a new one.

Modular design requires no special skills to service.

**Designed for unattended applications in harsh climates.**



TRUCK STOPS



RETAIL FORECOURTS



MARINAS



AVIATION



ON TANK APPLICATIONS

## Total reliability

**Proven design and globally sourced technology.**

SmartFill hardware has been proven on thousands of sites throughout the world and is famous for its modular design and remote diagnostics. It's the system of choice for large mining and trucking companies, especially in remote, harsh environments.

Some other OPTs use PC components, but that's where they fail. We only use purpose designed hardware and software. Everything we supply is backed by world class after sales support.

Payment processing uses Verifone payment hardware, globally renowned for outdoor applications. Verifone is EMV compliant with PCI PTS 4.x approval. All payments are processed by EFT Solutions Australia, approved to 3-DES, PC PED1.3 compliant and APCA.



**Accepts a range of cards and devices.**

**eftpos**



**VISA**

**AMERICAN EXPRESS**

ACCOUNT CARDS

**SmartFill**  
GEN 2




www.smartfill.com.au

DOB2FA67

# SmartFill Website

Of course, it's FREE and easy to access all your OPT data and alert settings.



## More features our customers requested:

- Simple, secure connection over 3G/4G network or Ethernet connection (NBN broadband)
- Designed for tank mounting or free standing (using optional pedestal)
- Connects to range of pumps – Compac, Gallagher, Gilbarco and other popular brands
- Direct pump control for bulk fuelling and applications where a bowser is not used
- Full support for automatic tank gauging systems including SmartDip
- Ability to send SMS receipts
- Easy to use large graphical user interface
- Change pump prices remotely
- UPS, so transactions are not lost on a power failure

Approved by



Australian Government  
Department of Industry, Science,  
Energy and Resources

National  
Measurement  
Institute


## Specifications

<b>Size and Weight</b>	Height: 700mm 1700mm with pedestal Width: 400mm	Depth: 200mm Weight: 25kg
<b>Display</b>	Full Colour 4" (10.2CM) LCD screen	
<b>Printer</b>	Thermal printer, roll 80mm wide 270m long	
<b>Payment Hardware</b>	Verifone UX 301 Card Reader, UX 100 Pinpad, UX400 Contactless Card Reader PCI PTS 4.x approved	
<b>Card Acceptance</b>	Visa, Mastercard, Amex, EFTPOS, Account cards (white cards), SmartFill NFC cards and fobs	
<b>Power and Battery</b>	90 VAC (0.38A) - 250 VAC (0.15A), Battery 24V 29WH	
<b>Supported fuel pumps</b>	Compac, Gilbarco, Gallagher, TT and other popular brands	
<b>Communications</b>	3G/4G or wired Ethernet	
<b>Operating temperature</b>	-40°C to 55°C	
<b>Mounting Options</b>	Tank or wall mounted (mounting kit provided). Optional pedestal	
<b>Construction</b>	Powdered coated galvanised steel	
<b>Installation Requirement</b>	To be installed in non-hazardous zone as defined in AS-NZ-60079.10.1-2009 Explosive atmospheres – Classification of areas	

## Options



**SmartDip**  
Automatic Tank Gauging system



**Pedestal**  
1000mm (H) x 150mm (D)  
For flexible installation options